

1z0-147

oracle9i program with pl/sql

Version: Demo



About Exambible

Your Partner of IT Exam

Found in 1998

Exambible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, Exambible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

1. What can you do with the DBMS_LOB package?

- A. Use the DBMS_LOB.WRITE procedure to write data to a BFILE.
- B. Use the DBMS_LOB.BFILENAME function to locate an external BFILE.
- C. Use the DBMS_LOB.FILEEXISTS function to find the location of a BFILE.
- D. Use the DBMS_LOB.FILECLOSE procedure to close the file being accessed.

Answer: D

2. Examine this procedure: CREATE OR REPLACE PROCEDURE ADD_PLAYER (V_ID IN NUMBER, V_LAST_NAME VARCHAR2) IS BEGIN INSERT INTO PLAYER (ID, LAST_NAME) VALUES (V_ID, V_LAST_NAME); COMMIT; END; This procedure must invoke the UPD_BAT_STAT procedure and pass a parameter. Which statement, when added to the above procedure, will successfully invoke the UPD_BAT_STAT procedure?

- A. EXECUTE UPD_BAT_STAT(V_ID);
- B. UPD_BAT_STAT(V_ID);
- C. RUN UPD_BAT_STAT(V_ID);
- D. START UPD_BAT_STAT(V_ID);

Answer: B

3. Which three describe a stored procedure? (Choose three.)

- A. A stored procedure is typically written in SQL.
- B. By default, a stored procedure executes with the privileges of its owner.
- C. A stored procedure has three parts: the specification, the body, and the exception handler part .
- D. A stored procedure is stored in the database and can be shared by a number of programs.
- E. A stored procedure offers some advantages over a standalone SQL statement, such as programmable functionality and compiled code.

Answer: B D E

```
4.Examine this package: CREATE OR REPLACE PACKAGE pack_cur IS CURSOR c1 IS SELECT
prodid FROM product ORDER BY prodid DESC; PROCEDURE proc1; PROCEDURE proc2; END
pack_cur; / CREATE OR REPLACE PACKAGE BODY pack_cur IS v_prodid NUMBER;
PROCEDURE proc1 IS BEGIN OPEN c1; LOOP FETCH c1 INTO v_prodid;
DBMS_OUTPUT.PUT_LINE('\Row is: \' || c1%ROWCOUNT); EXIT WHEN c1%ROWCOUNT >= 3; END
LOOP; END proc1; PROCEDURE proc2 IS BEGIN LOOP FETCH c1 INTO v_prodid;
DBMS_OUTPUT.PUT_LINE('\Row is: \' ||c1%ROWCOUNT); EXIT WHEN c1%ROWCOUNT >= 6; END
LOOP; CLOSE c1; END proc2; END pack_cur; /
```

The product table has more than 1000 rows. The SQL*Plus SERVEROUTPUT setting is turned on in your session. The product table has more than 1000 rows. The SQL*Plus SERVEROUTPUT setting is turned on in your session. The product table has more than 1000 rows. The SQL*Plus SERVEROUTPUT setting is turned on in your session.

You execute the procedure PROC1 from SQL*Plus with the command: EXECUTE pack_cur.proc1 You execute the procedure PROC1 from SQL*Plus with the command: EXECUTE pack_cur.proc1 You execute the procedure PROC1 from SQL*Plus with the command: EXECUTE pack_cur.proc1 You execute the procedure PROC1 from SQL*Plus with the command: EXECUTE pack_cur.proc1 What is the output in your session? EXECUTE pack_cur.proc1 What is the output in your session? What is the output in your session? A. ERROR at line 1: What is the output in your session? A. ERROR at line

1: A. ERROR at line 1: B. Row is:

A.ERROR at line 1:

B.Row is:

C.Row is:

D.Row is: Row is:

E.Row is: 1 Row is:

F.Row is: 1 Row is: 2

G.Row is: 1 Row is: 2 Row is: 3

H.Row is: 1 Row is: 2 Row is: 3 Row is: 2 Row is: 3

I.Row is: 4

J.Row is: 4 Row is: 5

K.Row is: 4 Row is: 5 Row is: 6 Row is: 5 Row is: 6

Answer: E F G H

5.Examine this procedure: CREATE OR REPLACE PROCEDURE INSERT_TEAM (V_ID in NUMBER, V_CITY in VARCHAR2 DEFAULT 'AUSTIN', V_NAME in VARCHAR2) IS BEGIN INSERT INTO TEAM (id, city, name) VALUES (v_id, v_city, v_name); COMMIT; END; Which two statements will successfully invoke this procedure in SQL*Plus? (Choose two.)

A.EXECUTE INSERT_TEAM;

B.EXECUTE INSERT_TEAM(3, V_NAME=>'LONGHORNS', V_CITY=>'AUSTIN');

C.EXECUTE INSERT_TEAM(3,'AUSTIN','LONGHORNS');

D.EXECUTE INSERT_TEAM (V_ID := 3, V_NAME := 'LONGHORNS', V_CITY := 'AUSTIN');

E.EXECUTE INSERT_TEAM (3,'LONGHORNS');

Answer: B C

6.You need to create a DML trigger. Which five pieces need to be identified? (Choose five.)

A.table

B.DML event

C.trigger body

D.package body

E.package name

F.trigger name

G.system event

H.trigger timing

Answer: A B C F H

7.This statement fails when executed: CREATE OR REPLACE TRIGGER CALC_TEAM_AVG AFTER INSERT ON PLAYER BEGIN INSERT INTO PLAYER_BAT_STAT (PLAYER_ID, SEASON_YEAR,AT_BATS,HITS) VALUES (:NEW.ID, 1997, 0,0); END; To which type must you convert the trigger to correct the error?

- A.row
- B.statement
- C.ORACLE FORM trigger
- D.before

Answer: A

8.Examine this package:

- A.The value of DISCOUNT_RATE always remains 0.00 in a session.
- B.The value of DISCOUNT_RATE is set to 0.10 each time the package is invoked in a session.
- C.The value of DISCOUNT_RATE is set to 1.00 each time the procedure DISPLAY_PRICE is invoked.
- D.The value of DISCOUNT_RATE is set to 0.10 when the package is invoked for the first time in a session.

Answer: D

9.Examine this code:

- A.g_comm has a value of 15 at 9:06am for Smith.
- B.g_comm has a value of 15 at 9:06am for Jones.
- C.g_comm has a value of 20 at 9:06am for both Jones and Smith.
- D.g_comm has a value of 15 at 9:03am for both Jones and Smith.
- E.g_comm has a value of 10 at 9:06am for both Jones and Smith.

F.g_comm has a value of 10 at 9:03 for both Jones and Smith.

Answer: B

10.Examine this code:

A.DROP gen_email_name;

B.REMOVE gen_email_name;

C.DELETE gen_email_name;

D.TRUNCATE gen_email_name;

E.DROP FUNCTION gen_email_name;

F.ALTER FUNCTION gen_email_name REMOVE;

Answer: E

11.The add_player , upd_player_stat , and upd_pitcher_stat procedures are grouped together in a package. A variable must be shared among only these procedures. Where should you declare this variable?

A.in the package body

B.in a database trigger

C.in the package specification

D.in each procedure's DECLARE section, using the exact same name in each

Answer: A

12.Examine this code:

A.DML trigger

B.INSTEAD OF trigger

C.application trigger

D.system event trigger

E.This is an invalid trigger.

Answer: E

13.What happens during the execute phase with dynamic SQL for INSERT, UPDATE, and DELETE operations?

A.The rows are selected and ordered.

B.The validity of the SQL statement is established.

C.An area of memory is established to process the SQL statement.

D.The SQL statement is run and the number of rows processed is returned.

E.The area of memory established to process the SQL statement is released.

Answer: D

14.Examine this package:

A.one

B.two

C.three

D.four

E.five

F.none

Answer: F

15.You need to remove the database trigger BUSINESS_HOUR. Which command do you use to remove the trigger in the SQL*Plus environment?

A.DROP TRIGGER business_hour;

B.DELETE TRIGGER business_hour;

C.REMOVE TRIGGER business_hour;

D.ALTER TRIGGER business_hour REMOVE;

E.DELETE FROM USER_TRIGGERS WHERE TRIGGER_NAME = 'BUSINESS_HOUR';

Answer: A

16.Which three are valid ways to minimize dependency failure? (Choose three.)

A.querying with the SELECT * notation

B.declaring variables with the %TYPE attribute

C.specifying schema names when referencing objects

D.declaring records by using the %ROWTYPE attribute

E.specifying package.procedure notation while executing procedures

Answer: A B D

17.Procedure PROCESS_EMP references the table EMP . Procedure UPDATE_EMP updates rows of table EMP through procedure PROCESS_EMP . There is a remote procedure QUERY_EMP that queries the EMP table through the local procedure PROCESS_EMP . The dependency mode is set to TIMESTAMP in this session. Which two statements are true? (Choose two.)

A.If the signature of procedure PROCESS_EMP is modified and successfully recompiles, the EMP table is invalidated.

B.If internal logic of procedure PROCESS_EMP is modified and successfully recompiles, UPDATE_EMP gets invalidated and will recompile when invoked for the first time.

C.If the signature of procedure PROCESS_EMP is modified and successfully recompiles, UPDATE_EMP gets invalidated and will recompile when invoked for the first time.

D.If internal logic of procedure PROCESS_EMP is modified and successfully recompiles, QUERY_EMP gets invalidated and will recompile when invoked for the first time.

E.If internal logic of procedure PROCESS_EMP is modified and successfully recompiles, QUERY_EMP gets invalidated and will recompile when invoked for the second time.

Answer: B E

18. You have a table with the following definition: `CREATE TABLE long_tab (id NUMBER, long_col LONG)`; You need to convert the `LONG_COL` column from a `LONG` data type to a `LOB` data type.

Which statement accomplishes this task?

- A. `ALTER TABLE long_tab MODIFY (LONG_COL CLOB);`
- B. `EXECUTE dbms_lob.migrate(long_tab, long_col, clob)`
- C. `EXECUTE dbms_manage.lob.migrate(long_tab, long_col, clob)`
- D. `EXECUTE utl_lob.migrate(long_tab, long_col, clob)`
- E. `EXECUTE utl_manage_lob.migrate(long_tab, long_col, clob)`

Answer: A

19. Examine this code:

- A. This function is invalid.
- B. This function can be used against any table.
- C. This function cannot be used in a `SELECT` statement.
- D. This function can be used only if the two parameters passed in are not null values.
- E. This function will generate a string based on 2 character values passed into the function.
- F. This function can be used only on tables where there is a `p_first` and `p_last` column.

Answer: B E

20. All users currently have the `INSERT` privilege on the `PLAYER` table. You only want your users to insert into this table using the `ADD_PLAYER` procedure. Which two actions must you take?

(Choose two.)

- A. `GRANT SELECT ON ADD_PLAYER TO PUBLIC;`
- B. `GRANT EXECUTE ON ADD_PLAYER TO PUBLIC;`



C.GRANT INSERT ON PLAYER TO PUBLIC;

D.GRANT EXECUTE,INSERT ON ADD_PLAYER TO PUBLIC;

E.REVOKE INSERT ON PLAYER FROM PUBLIC;

Answer: B E



Relate Links

100% Pass Your 1z0-147 Exam with Exambible Prep Materials

<http://www.exambible.com/1z0-147-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <http://www.exambible.com/>